

кімтекз

POLYURETHANE





www.kimpur.com



LOW TEMPERATURE RESISTANT FLEXIBLE PREPOLYMER

- Izokim FC 012 is a prepolymer which is based on **methyl phenyl diisocyanate**;

- Crystallization and freezing resistance is quite high in low temperature;

- Izokim FC 012 is used for furniture and office applications with its mechanical properties.





High freezing resistance;

Low weight advantage of the same hardness;

Thick and smooth skin appearance.

REACTION	UNIT	VALUE	METHOD
DENSITY	gr / cm3	1,2	ASTM D891-09
VISCOSITY	mPa.s	140±50	ASTM D4889-15
NCO CONTENT	%	29,5±0,3	ASTM D 2572-97
APPEARANCE			Liquid / Brown

Data refer to laboratory tests made with components at 25°C. Reported values may vary depending on processing condition.







TURKEY'S POLYURETHANE SYSTEM HOUSE







PRODUCTION CAPACITY
110.000
TONS



KİMTEKS POLİÜRETAN SANAYİ VE TİCARET A.Ş.

HEAD OFFICE:

Emniyet Evleri Mah. Eski Büyükdere Cad. Sapphire Plz. No: 1/4 Kat: 19 D: 01 Kağıthane 34415 İstanbul TÜRKİYE Tel: +90 212 809 15 50 Fax: +90 212 809 15 49 GEBZE FACTORY: Gebze Plastikçiler Organize Sanayi Bölgesi 7. Cadde No: 43 41400 Gebze Kocaeli TÜRKİYE Tel: +90 262 751 44 71 Fax: +90 262 751 02 57

GAZIANTEP:

Küçük Sanayi Sitesi B Blok 63 Nolu Cadde No:16 Şehitkamil Gaziantep TÜRKİYE Tel: +90 342 325 57 97 Fax: +90 342 325 57 97